



PEIC

گزارش تصویری بیست و نهمین نمایشگاه بین المللی نفت، گاز، پالایش و پتروشیمی تهران

از مورخ ۱۸ لغایت ۲۱ اردیبهشت ماه ۱۴۰۴

بازدید ریاست محترم هیات رئیسه صندوق های بازنشستگی نفت



بازدید مدیر عامل محترم صندوق های بازنشستگی نفت



بازدید آقای بورد مدیرعامل محترم شرکت ملی نفت ایران



بازدید آقای کاردر عضو محترم هیات رئیسه صندوق نفت



بازدید آقای دکتر عبوری مدیرعامل محترم شرکت سرمایه گذاری اهداف



انعقاد ۴ فقره قرارداد خرید و نصب تجهیزات سرچاهی مربوط به پروژه سپهر و جفیر


فی مابین شرکت‌های وتکو و خدمات مهندسی پژواک انرژی به مبلغ حدود ۴/۵ میلیون دلار



تفاهم نامہ تامین تجهیزات شرکت ایران ال ان جی توسط شرکت صنایع تجهیزات نفت



تفاهم نامه استفاده از خدمات بانکی فی مابین شرکت صنایع تجهیزات نفت و بانک مشترک ایران و ونزوئلا



بازدید مدیران ارشد شرکت جهاد نصر میثاق اهواز




بازدید مدیران ارشد هیات عراقی




بازدید کارشناسان ارشد شرکت‌های بین‌المللی





بازدیدهای عمومی



محصولات نمایشگاهی





معرفی محصولات استراتژیک آتی



PARS PANGAN COMPANY

MANUFACTURER OF BALL
AND CONTROL VALVES

PARS PANGAN Co.

دانش بنیان

Knowledge Base

WELLHEAD CONTROL PANEL WHCP

High-Integrity Hydraulic/Pneumatic
Control for Oil & Gas Safety Systems



The WHCP is engineered to operate and monitor Surface Safety Valves (SSSV), Subsurface Safety Valves (SSSV), and High Integrity Pressure Protection Systems (HIPPS) in both onshore and offshore wells, ensuring rapid and safe shutdown during emergency or routine operations.

Design Standards: API 14C, IEC 61508 (SIL 2/3), NACE MR0175	Functions: - ESD (Emergency Shutdown) - Manual / Remote Valve Control - Real-time Pressure Monitoring
Pressure Rating: Up to 10,000 psi	
Material Specification: All internal tubing, fittings, valves, and instruments are SS316 for durability and long service life	Communication Protocols: - HART - Modbus RTU - Profibus DP
Enclosure: Stainless Steel 304 or 316 (SS304 / SS316), selected based on site conditions	Options Available: - PLC-based Remote Control & SCADA Interface - Solar Power / Battery Backup - Fire-Proof Design with Deluge System - Multi-Well Modular Configuration
Control Media: Hydraulic Oil / Nitrogen gas	
Area Classification: ATEX / IECEx Certified – Zone 1 or 2	

www.parspangan.com

Commercial@parspangan.com & Sales@parspangan.com

Tel: +98 21 22274929-30 & +98 21 22263915 Fax: +98 21 22278440

نشانی: تهران، بلوار میرداماد، خیابان شمس تبریزی شمالی، خیابان نیک رای، پلاک ۵، طبقه دوم غربی
Address: No:5, Nikray St. North Shams Tabrizi Ave. Mirdamad Blvd. Tehran



PARS PANGAN COMPANY

MANUFACTURER OF BALL
AND CONTROL VALVES

PARS PANGAN Co.

دانش بنیان

Knowledge Base

HIPPS

High Integrity Pressure
Protection System



Specifications:

- **Design Standards:** IEC 61508 / IEC 61511
- **Application:** Onshore / Offshore production facilities
- **Pressure Rating:** Up to 15,000 psi
- **Response Time:** less than 3 seconds (typically < 1 second)
- **Architecture:**
 - 2oo3 logic voting (Two-out-of-Three)
 - Fail-safe logic solver
 - Fast-acting shutdown valves
- **Shutdown Ball Valves:**
 - Design and Testing per API 6D or API 6A
 - Fire-safe certified to API 607 or ISO 10497
 - Compliance with NACE MR0175 / ISO 15156 for sour service
- **Actuation System:** Pneumatic or Hydraulic (single / double-acting actuators)
- **Installation:** Skid-mounted or Panel-integrated
- **Materials:**
 - **Wetted Parts & Instruments:** SS316 / Inconel (for sour service)
 - **Tubing & Fittings:** SS316
 - **Enclosure:** SS304 / SS316, Ex-proof certified

www.parspangan.com

Commercial@parspangan.com & Sales@parspangan.com

Tel: +98 21 22274929-30 & +98 21 22263915 Fax: +98 21 22278440

نشانی: تهران، بلوار میرداماد، خیابان شمس تبریزی شمالی، خیابان نیک رای، پلاک ۵، طبقه دوم غربی
Address: No:5, Nikray St. North Shams Tabrizi Ave. Mirdamad Blvd. Tehran






PARS PANGAN COMPANY

MANUFACTURER OF BALL
AND CONTROL VALVES

PARS PANGAN Co.
دانش بنیان
Knowledge Base

Rotary Control Valve eccentric **CAMFLEX TYPE**



No.	Part	Description
1	Body	SS/CS
2	Seat	SS
3	Back Seat	SS
4	Plug	SS
5	Stem	SS
6	Gland	SS/CS
7	Packing	PTFE
8	Cam	SS

www.parspangan.com

Commercial@parspangan.com & Sales@parspangan.com

Tel: +98 21 22274929-30 & +98 21 22263915 Fax: +98 21 22278440

نشانی: تهران، بلوار میرداماد، خیابان شمس تبریزی شمالی، خیابان نیک رای، پلاک ۵، طبقه دوم غربی
Address: No:5, Nikray St. North Shams Tabrizi Ave. Mirdamad Blvd. Tehran



PARS PANGAN COMPANY

MANUFACTURER OF BALL
AND CONTROL VALVES

PARS PANGAN Co.
دانش بنیان
Knowledge Base

SIGHT GLASS



PRODUCTS RANGES

Pressure Class	150 - 300 psi
Size	1/2" - 8"
End Connection	Flanged RF
	Welded
	Threaded
Body Material	Carbon Steel
	Stainless Steel
	Ni-Al-Bronze
Visibility Type	Double Vision
	360_degree vision
Indicator Type	Flapper
	Rotor (Impeller)
	Ball Flow Indicator
	Fingers Flow Indicator
	Drip Tube
Glass Material	Borosilicate
	Quartz
Operating Temperature	-30 / +150 °C
Installation Position	Vertical - Horizontal

www.parspangan.com

Commercial@parspangan.com & Sales@parspangan.com

Tel: +98 21 22274929-30 & +98 21 22263915 Fax: +98 21 22278440

نشانی: تهران، بلوار میرداماد، خیابان شمس تبریزی شمالی، خیابان نیک رای، پلاک ۵، طبقه دوم غربی
Address: No:5, Nikray St. North Shams Tabrizi Ave. Mirdamad Blvd. Tehran



